

## Nominal Dimensions &amp; Machining Tolerances

Claron Part Number	Refer Seal Selection $\varnothing d_1$	Machining Tolerances		Nominal $\pm 0.010$ $L_1$
		+0.000 -0.005 $\varnothing D_1$	+0.005 -0.000 $\varnothing D_2$	
PWB 0	0.375	0.540	0.430	0.120
PWB 01	0.437	0.610	0.495	0.120
PWB 1	0.500	0.680	0.560	0.130
PWB 2	0.562	0.740	0.630	0.130
PWB 3	0.625	0.820	0.700	0.140
PWB 4	0.687	0.880	0.760	0.140
PWB 5	0.750	0.950	0.820	0.140
PWB 6	0.812	1.020	0.880	0.140
PWB 7	0.937	1.080	0.950	0.150
PWB 8	0.937	1.150	1.010	0.150
PWB 9	1.000	1.240	1.080	0.160
PWB 11	1.125	1.375	1.210	0.160
PWB 12	1.187	1.420	1.270	0.160
PWB 13	1.250	1.490	1.330	0.170
PWB 15	1.375	1.625	1.460	0.170
PWB 17	1.500	1.770	1.590	0.180
PWB 19	1.625	1.880	1.720	0.180
PWB 20	1.687	1.960	1.780	0.190
PWB 21	1.750	2.030	1.850	0.190
PWB 23	1.875	2.160	1.970	0.190
PWB 25	2.000	2.300	2.100	0.200
PWB 26	2.125	2.430	2.230	0.210
PWB 27	2.250	2.570	2.360	0.210
PWB 28	2.375	2.700	2.490	0.220
PWB 29	2.500	2.840	2.610	0.220
PWB 30	2.625	2.970	2.740	0.230
PWB 31	2.750	3.110	2.870	0.230
PWB 32	2.875	3.240	3.000	0.240
PWB 33	3.000	3.380	3.130	0.240
PWB 34	3.125	3.500	3.260	0.250
PWB 35	3.250	3.650	3.390	0.250
PWB 36	3.375	3.780	3.510	0.260
PWB 37	3.500	3.920	3.640	0.270
PWB 38	3.625	4.050	3.770	0.270
PWB 39	3.750	4.190	3.900	0.280
PWB 40	3.875	4.320	4.030	0.280
PWB 41	4.000	4.460	4.160	0.290
PWB 44	4.250	4.730	4.410	0.300
PWB 45	4.375	4.860	4.540	0.300
PWB 46	4.500	5.000	4.670	0.310
PWB 48	5.000	5.540	5.180	0.330
PWB 50	5.250	5.810	5.440	0.340
PWB 51	5.375	5.945	5.570	0.345
PWB 52	5.500	6.080	5.700	0.350
PWB 53	5.625	6.126	5.185	0.355
PWB 56	6.000	6.620	6.210	0.380
PWB 60	6.500	7.160	6.720	0.400
PWB 61	6.625	7.295	6.850	0.405