

## CS 8



## Nominal Dimensions &amp; Machining Tolerances

Claron Part Number	H9 ØD <sub>1</sub>	h9 Ød <sub>1</sub>	+0.20 -0.00 L <sub>1</sub>	Nominal S	Nominal C
CS 80200	20	12.5	3.2	3.75	2.0
CS 80250	25	17.5	3.2	3.75	2.0
CS 80300	30	22.5	3.2	3.75	2.0
CS 80320	32	24.5	3.2	3.75	2.0
CS 80400	40	29.0	4.2	5.50	3.0
CS 80400/2	40	24.5	6.3	7.75	4.0
CS 80450	45	34.0	4.2	5.50	3.0
CS 80500	50	39.0	4.2	5.50	3.0
CS 80500/2	50	34.5	6.3	7.75	4.0
CS 80550/2	55	39.5	6.3	7.75	4.0
CS 80600	60	49.0	4.2	5.50	3.0
CS 80600/2	60	44.5	6.3	7.75	4.0
CS 80630	63	52.0	4.2	5.50	3.0
CS 80630/2	63	47.5	6.3	7.75	4.0
CS 80650/2	65	49.5	6.3	7.75	4.0
CS 80650/4	65	52.0	6.3	6.50	3.0
CS 80700	70	59.0	4.2	5.50	3.0
CS 80700/2	70	54.5	6.3	7.75	4.0
CS 80750/2	75	59.5	6.3	7.75	4.0
CS 80800	80	64.5	6.3	7.75	4.0
CS 80900	90	74.5	6.3	7.75	4.0
CS 81000	100	84.5	6.3	7.75	4.0
CS 81000/2	100	79.0	8.1	10.50	5.0
CS 81000/4	100	86.5	6.3	6.75	4.0
CS 81100/2	110	89.0	8.1	10.50	5.0
CS 81200/2	120	99.0	8.1	10.50	5.0
CS 81250/2	125	104.0	8.1	10.50	5.0
CS 81300/2	130	109.0	8.1	10.50	5.0
CS 81400	140	119.0	8.1	10.50	5.0
CS 81500	150	129.0	8.1	10.50	5.0
CS 81600	160	139.0	8.1	10.50	5.0
CS 81800	180	159.0	8.1	10.50	5.0
CS 82000	200	179.0	8.1	10.50	5.0